

SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE



Integra Luminaire C/W Cat2 Louvre

Available in 2 sizes: 1192 X 595MM and 595 X 595MM.

Model:GP418AAL

Starting at: £26.94+VAT



Thorn single fluorescent batten fitting - 2ft, 4ft, 5ft, 6ft, 8ft

Ip rating: IP20.

Available in 9lengthes

Model:PP118

Starting at: £10.0000+VAT (Quantity discounts available)



Thorn opal white single diffuser for batten luminaire - 2ft, 4ft, 5ft, 6ft, 8ft


- Diffuser attachment for use with Popular pack batten luminaire. - Opal with spring loaded white plastic end caps.

Ip rating: IP20.

Available in 5lengthes: 2feet/600mm, 4feet/1200mm, 5feet/1500mm, 6feet/1800mm and 8ft/2400mm.

Model:PPD2

Starting at: £7.80+VAT



Thorn opal white double diffuser for batten luminaire - 2ft, 4ft, 5ft, 6ft, 8ft


- Diffuser attachment for use with Popular pack batten luminaire. - Opal with spring loaded white plastic end caps. - Dimensions: 2ft, 4ft, 5ft, 6ft, 8ft.

Ip rating: IP20.

Available in 5lengthes: 2feet/600mm, 4feet/1200mm, 5feet/1500mm, 6feet/1800mm and 8feet/2400mm.

Model:PPD22

Starting at: £13.14+VAT



Thorn prismatic diffuser for single batten luminaire - 2ft, 4ft, 5ft, 6ft, 8ft

- Diffuser attachment for use with Popular pack batten luminaire. - Prismatic with spring loaded white plastic end caps.

Ip rating: IP20.

Available in 5lengthes: 2feet/600mm, 4feet/1200mm, 5feet/1500mm, 6feet/1800mm and 8feet/2400mm.

Model:PPC2

Starting at: £7.70+VAT



Thorn prismatic twin diffuser (for double batten luminaire) - 2ft, 4ft, 5ft, 6ft, 8ft

- Diffuser attachment for use with Popular pack batten luminaire. - Opal with spring loaded white plastic end caps.

Ip rating: IP20.

Available in 5lengthes: 2feet/600mm, 4feet/1200mm, 5feet/1500mm, 6feet/1800mm and 8feet/2400mm.

Model:PPC22

Starting at: £12.13+VAT

SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE



Thorn double fluorescent batten fitting - 2ft, 4ft, 5ft, 6ft, 8ft

Ip rating: IP20.

Available in 5lengthes: 8ft/2400mm, 2x100W, 2ft/600mm, 2x18W, 4ft/1200mm, 2x36W, 5ft/1500mm, 2x58W and 6ft/1800mm, 2x70W.

Model:PP2

Starting at: £25.56+VAT



Apollo Cat2 Louvre

Apollo Cat2 louvre attachment for Integra IN418 luminaire. Manufactured from specular material and conforms to Category 2.

Available in 2 sizes: 1200 X 600MM and 600 X 600MM.

Model:AAL418

Starting at: £23.25+VAT



Dimmable Single Deluxe Lightpack Fluorescent Fitting

Ip rating: IP20.

Available in 3 lengths: 1221MM, 1521MM and 916MM.

Model:LP30SD

Starting at: £92.77+VAT



Thorn single 4ft Weatherproof fitting Aquaforce IP65 luminaire 1x36W

- Thorn Lighting AQLUS136 / 96503019 AQUAF2 1x36W T26 CP L840 - IP65 dust and moisture resistant luminaire for 1 x 36W T26 lamp(s) with magnetic circuit.

Wattage: 36 Watts. Ip rating: IP65. Dimensions: 1300 x 90 x 111.

Model:AQLUS136

Price: £30.78+VAT



Thorn single Weatherproof fitting Aquaforce 1600mm, IP65 luminaire 1x58W

- Thorn Lighting AQLUS158 / 96503042 AQUAF2 1x58W T26 CP L840 - IP65 dust and moisture resistant luminaire for 1 x 58W T26 lamp(s) with magnetic circuit.

Wattage: 58 Watts. Ip rating: IP65. Dimensions: 1600 x 90 x 111.

Model:AQLUS158

Price: £31.45+VAT



Thorn single Weatherproof fitting Aquaforce 1800mm, IP65 luminaire 1x70W

- Thorn Lighting AQLUS170 / 96503065 AQUAF2 1x70W T26 CP L840 - IP65 dust and moisture resistant luminaire for 1 x 70W T26 lamp(s) with magnetic circuit.

Wattage: 70 Watts. Ip rating: IP65. Dimensions: 1864 x 90 x 111.

Model:AQLUS170

Price: £36.32+VAT

SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE



Thorn twin Weatherproof fitting Aquaforce IP65 luminaire 1200mm 2x36W

- Thorn Lighting AQLUS236 / 96503088 AQUAF2 2x36W T26 CP L840 - IP65 dust and moisture resistant luminaire for 2 x 36W T26 lamp(s) with magnetic circuit.

Wattage: 36 Watts. Ip rating: IP65. Dimensions: 1300 x 143 x 111.

Model:AQLUS236
Price: £38.68+VAT



Thorn twin Weatherproof fitting Aquaforce IP65 luminaire 1600mm 2x58W

- Thorn Lighting AQLUS258 / 96503111 AQUAF2 2x58W T26 CP L840 - IP65 dust and moisture resistant luminaire for 2 x 58W T26 lamp(s) with magnetic circuit.

Wattage: 58 Watts. Ip rating: IP65. Dimensions: 1600 x 143 x 111.

Model:AQLUS258
Price: £44.26+VAT



Thorn twin Weatherproof fitting Aquaforce IP65 luminaire 1800mm 2x70W

- Thorn Lighting AQLUS270 / 96503134 AQUAF2 2x70W T26 CP L840 - IP65 dust and moisture resistant luminaire for 2 x 70W T26 lamp(s) with magnetic circuit.

Wattage: 70 Watts. Ip rating: IP65. Dimensions: 1800 x 143 x 111.

Model:AQLUS270
Price: £51.43+VAT



Thorn 2 X 58W High Frequency Emergency Waterproof

Wattage: 58 Watts. Ip rating: IP65. Dimensions: 1600 x 143 x 111.

Model:AQE3L258
Price: £132.21+VAT



Thorn Punch T26 fluorescent emergency twin luminaires 2x58W surface fitting

- EE3FLCS258CAT2 / 96500970 PUNCH 2X58W T26 CP DMB E3 BESA - A slim, surface mounted luminaire with modern aesthetics for 2 x 58W T26 lamp.

Wattage: 58 Watts. Dimensions: 1543 x 209 x 85.

Model:EE3FL258
Price: £91.77+VAT



Thorn Omega fluorescent luminaires 4x36W 1224mm T8

- Thorn Lighting EK1809 MK16 / 96010744 OMEGA MB 4x36w T26 CP DMB L000.

Wattage: 36 Watts. Dimensions: 1224 x 594 x 95.

Model:EK1809
Price: £52.24+VAT

SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE



Thorn Omega fluorescent luminaires high frequency 4x18W 600x600mm T26

- Thorn Lighting EK1818 MK16 / 96010753 OMEGA MB 4x18w T26 HF DMB L000.
Wattage: 18 Watts. Dimensions: 614 x 594 x 95.

Model:EK1818
Price: £38.03+VAT



Thorn Omega fluorescent luminaires emergency light 4x18W 600x600mm T26

- Thorn Lighting EK1828 MK16 / 96010763 OMEGA MB 4x18w T26 CP E3 DMB L000.
Wattage: 18 Watts. Dimensions: 614 x 594 x 95.

Model:EK1828
Price: £68.09+VAT



Thorn Punch T26 fluorescent luminaires 4x70W MK12 CAT2 surface fitting

Wattage: 70 Watts. Dimensions: 600 x 600.

Model:FLCS418C
Price: £72.14+VAT



Thorn Omega fluorescent luminaires 4x18W 600x600mm T26

- Thorn Lighting EK1806 MK16 / 96010741 OMEGA MB 4x18w T26 CP DMB L000.
Wattage: 18 Watts. Dimensions: 614 x 594 x 95.

Model:EK1806
Price: £23.61+VAT



Thorn Punch T26 fluorescent twin luminaires 2x36W MK12 surface fitting

- Thorn Lighting FLCS236CAT2 MK12 / 96211513 PUNCH 2X36W T26 CP DMB BESA.
Wattage: 36 Watts. Dimensions: 1243 x 209 x 85.

Model:FLCS236C
Price: £41.92+VAT



Thorn Punch T26 fluorescent twin luminaires 2x58W MK12 CAT2 surface fitting

- Thorn Lighting FLCS258CAT2 MK12 / 96211517 PUNCH 2X58W T26 CP DMB BESA.
Wattage: 58 Watts. Dimensions: 1543 x 209 x 85.

Model:FLCS258C
Price: £46.63+VAT

SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE



Thorn Punch T26 fluorescent twin luminaires 2x70W MK12 CAT2 surface fitting

- Thorn Lighting FLC5270CAT2 MK12 / 96211521 PUNCH 2X70W T26 CP DMB BESA.
Wattage: 70 Watts. Dimensions: 1823 x 209 x 85.

Model:FLC5270C
Price: £53.56+VAT



Integra Luminaire C/W Mercury Low Brightness Louvre

Available in 2 sizes: 1192 X 595MM and 595 X 595MM.

Model:GP418MAL
Starting at: £41.31+VAT



Integra Emergency 600 X 600MM Luminaire C/W Cat2 Louvre

Available for In Store Pickup Only Integra Emergency IN418AAL/M3 quality emergency luminaire with switch start and integral gear.

Wattage: 18 Watts. Ip rating: IP20. Dimensions: 600 X 600.

Model:GP418EME
Price: £67.25+VAT



Surface Module Fitting C/W Cat2 Louvre

Available for In Store Pickup Only Surface Module pearl white fitting complete with Cat2 louvre.

Available in 5 sizes: 1256 X 254MM, 1556 X 254MM, 1818 X 254MM, 646 X 472MM and 1256 X 472MM.

Model:BSM418AL
Starting at: £48.50+VAT



Single Lightpack Fluorescent Fitting 2394MM

Available for In Store Pickup Only An attractively designed single lamp batten luminaire specifically for the T12 (38mm) lamp.

Wattage: 100 Watts. Ip rating: IP20. Dimensions: 2394 (length).

Model:LP100
Price: £27.70+VAT



Twin Lightpack (LPH) Fluorescent Fitting

Available for In Store Pickup Only An attractively designed twin lamp batten luminaire suitable for schools, offices, kitchens, workshops etc.

Ip rating: IP20.


Available in 5 lengths: 2395MM, 1221MM, 1521MM, 1784MM and 612MM.

Model:LPH218
Starting at: £31.13+VAT

SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE



Twin Diffuser Endcap LPH Fittings

Twin diffuser endcap only for use with LPH fittings.

Model:LPD23605

Price: £1.50+VAT



Twin Deluxe Lightpack Fluorescent Fitting 1788MM

Available for In Store Pickup Only Attractively designed twin lamp batten luminaire specifically for T8 (26mm) energy saving lamp.

Wattage: 70 Watts. Ip rating: IP20. Dimensions: 1788 (length).

Model:LPT270

Price: £35.39+VAT



Single Deluxe Lightpack Fluorescent Fitting

Available for In Store Pickup Only Attractively designed single lamp batten luminaire specifically for T8 (26mm) energy saving lamp.

Ip rating: IP20.

Available in 5 lengths: 1784MM, 916MM, 1221MM, 1521MM and 612MM.

Model:LPF18

Starting at: £5.6600+VAT (*Quantity discounts available*)

Slimline Lightpack Fluorescent Fitting

Ip rating: IP20.

Available in 5 lengths: 1221MM, 1521MM, 612MM, 917MM and 458MM.

Model:SLPF15E

Starting at: £17.74+VAT



Miniature Lightpack (T5) Fluorescent Fitting

Available for In Store Pickup Only Fluorescent fitting manufactured from mild steel with polycarbonate lampholders in white finish.

Ip rating: IP20.

Available in 2 lengths: 540MM and 310MM.

Model:MLP8

Starting at: £11.85+VAT



Thorn 4ft 36W twin Emergency light, 1200mm fluorescent fitting, 2 x 36W

Wattage: 36 Watts. Dimensions: 64H x 125W x 1200L.

Model:E3PP236

Price: £106.34+VAT

SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE



Thorn 5ft 58W twin Emergency light, 1500mm fluorescent fitting, 2 x 58W

Wattage: 58 Watts. Dimensions: 64 x 125 x 1500.

Model:E3PP258

Price: £120.92+VAT



Thorn 6ft 70W twin Emergency light, 1800mm fluorescent fitting, 2 x 70W

Wattage: 70 Watts. Dimensions: 64 x 125 x 1800.

Model:E3PP270

Price: £131.20+VAT



Thorn single 4ft High Frequency Emergency Weatherproof fitting Aquaforce II 1x36W

Wattage: 36 Watts. Ip rating: IP65.

Model:AQE3L136

Price: £119.88+VAT



Thorn single 5ft High Frequency Emergency Weatherproof fitting Aquaforce II 1x58W

Wattage: 58 Watts. Ip rating: IP65.

Model:AQE3L158

Price: £125.06+VAT



Thorn single 6ft High Frequency Emergency Weatherproof fitting Aquaforce II 1x70W

Wattage: 70 Watts. Ip rating: IP65.

Model:AQE3L170

Price: £130.26+VAT



Thorn twin 4ft High Frequency Emergency Weatherproof fitting Aquaforce II 2x36W

Wattage: 36 Watts. Ip rating: IP65.

Model:AQE3L236

Price: £129.66+VAT

SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE

**Miniature Lightpack (T5) Fluorescent Fitting With Diffuser**

Available for In Store Pickup Only Fluorescent fitting complete with lamp prismatic diffuser and pull switch.

Available in 2 lengths: 541MM and 313MM.

Model:MDP8

Starting at: £16.88+VAT

**Thorn twin 6ft High Frequency Emergency Weatherproof fitting Aquaforce II 2x70W**

Wattage: 70 Watts. Ip rating: IP65.

Model:AQE3L270

Price: £139.95+VAT

**Thorn twin 5ft High Frequency Emergency Weatherproof fitting Aquaforce II 2x58W**

Wattage: 58 Watts. Ip rating: IP65.

Model:AQE3L258

Price: £132.21+VAT

**Thorn 4ft 36W Emergency light, 1200mm fluorescent fitting**

Dimensions: 82H x 60W x 1200L.

Model:E3PP136

Price: £99.15+VAT

**Thorn 5ft 58W single Emergency light, 1500mm fluorescent fitting, 1 x 58W**

Wattage: 58 Watts. Dimensions: 82 x 60 x 1500.

Model:E3PP158

Price: £103.19+VAT

**Thorn 6ft 70W single Emergency light, 1800mm fluorescent fitting, 1 x 70W**

Wattage: 70 Watts. Dimensions: 82 x 60 x 1800.


Model:E3PP170

Price: £110.89+VAT

SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE



Single Diffuser Endcap LP/LPF Fittings

Single diffuser endcap only for use with LP/LPF fittings.

Model:LPD3601
Price: £1.05+VAT



Weatherpack IP65 Fluorescent Fitting

Available for In Store Pickup Only A single lamp IP65 weather resistant and dustproof luminaire. Ideal for use in adverse weather conditions.

Ip rating: IP65.

Available in 4 lengths: 1310MM, 1614MM, 1872MM and 702MM.

Model:BDP18
Starting at: £20.76+VAT



Twin Weatherpack IP65 Fluorescent Fitting

Available for In Store Pickup Only A twin lamp IP65 weather resistant and dustproof luminaire. Ideal for use in adverse weather conditions.

Ip rating: IP65.

Available in 4 lengths: 1310MM, 1614MM, 1872MM and 702MM.

Model:BDP218
Starting at: £28.16+VAT



Twin 1524MM Weatherproof Emergency Light

Available for In Store Pickup Only A twin IP65 weather resistant and dustproof luminaire. 3 hours maintained. Self contained.

Wattage: 58 Watts. Ip rating: IP65. Dimensions: 1524 (length approx).

Model:DP258EM
Price: £83.25+VAT



Single 4' Fluorescent Fitting & Diffuser

Available for In Store Pickup Only Single 4' fluorescent fitting complete with diffuser. Suitable for schools, offices, kitchens, workshops, etc.

Wattage: 36 Watts.

Model:DEP36
Price: £19.67+VAT



Single 5' Fluorescent Fitting & Diffuser

Available for In Store Pickup Only Single 5' fluorescent fitting complete with diffuser. Suitable for schools, offices, kitchens, workshops, etc.

Wattage: 58 Watts.

Model:DEP58
Price: £22.82+VAT

SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE



Single Lightpack Opal Diffuser

Available in 6 lengths

Model:LPD18

Starting at: £6.38+VAT



Twin Lightpack Opal Diffuser

Available in 5 lengths: 2394MM, 1220MM, 1520MM, 1783MM and 611MM.

Model:LPD218

Starting at: £13.95+VAT



Single Lightpack Prismatic Controller

Available for In Store Pickup Only Prismatic controller extruded from polystyrene material, for use with the Lightpack range (LP / LPF).

Available in 5 lengths: 2394MM, 1220MM, 1520MM, 1783MM and 611MM.

Model:LPC18

Starting at: £6.38+VAT



Twin Lightpack Prismatic Controller

Available for In Store Pickup Only Prismatic controller extruded from polystyrene material, for use with the Lightpack range (LPH).

Available in 5 lengths: 2394MM, 1220MM, 1520MM, 1783MM and 611MM.

Model:LPC218

Starting at: £11.55+VAT



Lightpack Trough Reflector 1780MM

Available for In Store Pickup Only A trough reflector suitable for use with single and twin lamp Lightpack luminaires (Not suitable for LPH/LPF).

Dimensions: 1780 (length).

Model:LPR70

Price: £10.88+VAT



Flat Panel Diffuser -D

Available for In Store Pickup Only These are used for exposed T-bar ceilings. Use of this 2.

Available in 2 dimensiones: 1200 X 600 and 600 X 600.

Model:D20B

Starting at: £5.01+VAT

