



## SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE

**Protected Standard Yellow Male Plug - 2P+E 16A 110V 4H****Product Specifications:**

- No. poles: 2P+E.
- Rated Current (A): 16.
- Nominal Voltage: 110 V.
- Reference (H): 4.

**Protected Standard Blue Male Plug - 2P+E 16A 230V 6H****Product Specifications:**

- No. poles: 2P+E.
- Rated Current (A): 16.
- Nominal Voltage: 230 V.
- Reference (H): 6.

**Protected Standard Red Male Plug - 2P+E 16A 400V 9H****Product Specifications:**

- No. poles: 2P+E.
- Rated current (A): 16.
- Nominal Voltage: 400 V.
- Reference (H): 9.

**Protected Standard Red Male Plug - 3P+E 16A 400V 6H****Product Specifications:**

- No. poles: 3P+E.
- Rated Current (A): 16.
- Nominal Voltage: 400 V.
- Reference (H): 6.

**Protected Standard Red Male Plug - 3P+N+E 16A 400V 6H****Product Specifications:**

- No. poles: 3P+N+E.
- Rated Current (A): 16.
- Nominal Voltage: 400 V.
- Reference (H): 6.

**Protected Standard Yellow Male Plug - 2P+E 32A 110 V 4H - IP44****Product Specifications:**

- No. Poles: 2P+E.
- Rated Current (A): 32.
- Nominal Voltage: 110 V.
- Reference (H): 4.

Model:PM322PEY  
Price: £7.24+VAT



## SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE

**Protected Standard Blue Male Plug - 2P+E 32A 230V 6H - IP44**

## Product Specifications:



- No. Poles: 2P+E.
- Rated Current (A): 32.
- Nominal Voltage: 230 V.
- Reference (H): 6.

**Blue Male Plug - 2P+E 63A 230V 6H - IP67**

## Product Specifications:



- No. Poles: 2P+E.
- Rated Current (A): 63.
- Nominal Voltage: 230 V.
- Reference (H): 6.

**Protected Standard Red Male Plug - 3P+E 32A 400V 6H - IP44**

## Product Specifications:



- No. Poles: 3P+E.
- Rated Current (A): 32.
- Nominal Voltage: 400 V.
- Reference (H): 6.
- Colour: Red.

**Protected Standard Red Male Plug - 3P+N+E 32A 400V 6H - IP44**

## Product Specifications:



- No. Poles: 3P+N+E.
- Rated Current (A): 32.
- Nominal Voltage: 400 V.
- Reference (H): 6.

**Protected Standard Yellow Female Connector - 2P+E 16A 110V 4H**

Model:PM162000  
Price: £5.60+VAT

**Protected Standard Blue Female Connector - 2P+E 16A 230V 6H**

Model:PM162100  
Price: £5.60+VAT



SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE

**Protected Standard Red Female Connector - 3P+N+E 16A 400V 6H**

Product Specifications:

- No. Poles: 3P+N+E.
- Rated Current (A): 16.
- Nominal Voltage: 400 V.
- Reference (H): 6.

**Protected Standard Yellow Female Connector - 2P+E 32A 110 V 4H - IP44**

Product Specifications:

- No. Poles: 2P+E.
- Rated Current (A): 32.
- Nominal Voltage: 110 V.
- Reference (H): 4.

**Protected Standard Blue Female Connector - 2P+E 32A 230V 6H - IP44**

Product Specifications:

- No. Poles: 2P+E.
- Rated Current (A): 32.
- Nominal Voltage: 230 V.
- Reference (H): 6.

**Protected Standard Blue Female Connector - 3P+E 32A 230V 9H**

Product Specifications:

- No. Poles: 3P+E.
- Rated Current (A): 32.
- Nominal Voltage: 230 V.
- Reference (H): 9.

**Protected Standard Red Female Connector - 3P+N+E 32A 400V 6H - IP44**

Technical Specifications:

- No. Poles: 3P+N+E.
- Rated Current (A): 32.
- Nominal Voltage: 400 V.
- Reference (H): 6.

**Protected 90° Angled Surface-Mounting Yellow Socket Outlet - 2P+E 16A 110V 4H - IP44**

Product Specifications:

- No. Poles: 2P+E.
- Rated Current (A): 16.
- Nominal Voltage: 110 V.
- Reference (H): 4.



## SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE



### Protected 90° Angled Surface-Mounting Blue Socket Outlet - 2P+E 16A 230V 6H

Product Specifications:

- No. Poles: 2P+E.
- Rated Current (A): 16. Nominal Voltage: 230 V.
- Reference (H): 6.
- Colour: Blue.



### Protected 90° Angled Surface-Mounting Red Socket Outlet - 3P+N+E 16A 400V 6H - IP44

Product Specifications:

- No. Poles: 3P+N+E.
- Rated Current (A): 16.
- Nominal Voltage: 400 V.
- Reference (H): 6.



### Protected 90° Angled Surface-Mounting Yellow Socket Outlet - 2P+E 32A 110 V 4H - IP44

Product Specifications:

- No. Poles: 2P+E.
- Rated Current (A): 32.
- Nominal Voltage: 110 V.
- Reference (H): 4.



### Protected 90° Angled Surface-Mounting Blue Socket Outlet - 2P+E 32A 230V 6H - IP44

Product Specifications:

- No. Poles: 2P+E.
- Rated Current (A): 32.
- Nominal Voltage: 230 V.
- Reference (H): 6.



### 90° Angled Surface-Mounting Blue Socket Outlet - 2P+E 63A 230V 6H - IP67

Product Specifications:

- No. Poles: 2P+E.
- Rated Current (A): 63.
- Nominal Voltage: 230 V.
- Reference (H): 6.



### Protected 90° Angled Surface-Mounting Blue Socket Outlet - 3P+E 32A 230V 9H

Product Specifications:

- No. Poles: 3P+E.
- Rated Current (A): 32.
- Nominal Voltage: 230 V.
- Reference (H): 9.



SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE



### Protected 90° Angled Surface-Mounting Red Socket Outlet - 3P+N+E 32A 400V 6H - IP44

Product Specifications:

- No. Poles: 3P+N+E.
- Rated Current (A): 32.
- Nominal Voltage: 400 V.
- Reference (H): 6.



### Fixed Interlocked Horizontal Switched Yellow Socket Outlet With Bottom Protected - 2P+E 16A 110 V 4H SBF - IP44

Product Specifications:

- No. Poles: 2P+E.
- Rated Current (A): 16.
- Nominal Voltage: 110 V.
- Reference (H): 4.



### Fixed Interlocked Horizontal Switched Blue Socket Outlet - 2P+E 16A 230V 6H SBF - IP44

Technical Specifications:

- No. Poles: 2P+E.
- Rated Current (A): 16.
- Nominal Voltage: 230 V.
- Reference (H): 6.



### Fixed Interlocked Horizontal Switched Red Socket Outlet With Bottom Protected - 3P+N+E 16A 400V 6H SBF - IP44

Technical Specifications:

- No. Poles: 3P+N+E.
- Rated Current (A): 16.
- Nominal Voltage: 400 V.
- Reference (H): 6.



### Fixed Interlocked Horizontal Switched Yellow Socket Outlet With Bottom Protected - 2P+E 32A 110 V 4H SBF - IP44

Product Specifications:

- No. Poles: 2P+E.
- Rated Current (A): 32.
- Nominal Voltage: 110 V.
- Reference (H): 4.



### Fixed Interlocked Horizontal Blue Switched Socket Outlet With Bottom Protected - 2P+E 32A 230V 6H SBF - IP44

Product Specifications:

- No. Poles: 2P+E.
- Rated Current (A): 32.
- Nominal Voltage: 230 V.
- Reference (H): 6.



SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE

**Fixed Interlocked Horizontal Switched Red Socket With Bottom Protected - 3P+N+E 32A 400V 6H SBF - IP44**  
Product Specifications:

- No. Poles: 3P+N+E.
- Rated Current (A): 32.
- Nominal Voltage: 400 V.
- Reference (H): 6.

**Protected 10 Angled Receptacle Blue Panel Mounted Socket - 2P+E 16A 230V 6H**  
Product Specifications:

- No. Poles: 2P+E.
- Rated Current (A): 16.
- Nominal Voltage: 230 V.
- Reference (H): 6.

**3 Way Adaptor 110V Yellow**Model:PM161103  
Price: £14.00+VAT**3 Way Adaptor 240V Blue**Model:PM162403  
Price: £14.00+VAT



Industrial &amp; Metal Clad &gt;

**Metal Clad**

page 7

November 10

SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE

**Metal Clad 2 Gang 13 AMP Switched Twin Socket**

Complete with mounting box.

Model:DSSOMC

Price: £6.2500+VAT (Quantity discounts available)

**Metal Clad 1 Gang 13 AMP Switched Single Socket**

Complete with mounting box.

Model:3346

Price: £4.7300+VAT (Quantity discounts available)

**Metal Clad 1 Gang 2 Way 10AX Switch**

Complete with mounting box.

Model:3712

Price: £4.5000+VAT (Quantity discounts available)

**Metal Clad 2 Gang 2Way 10AX Switch**

Complete with mounting box.

Model:3722

Price: £4.5800+VAT (Quantity discounts available)

**Metal Clad 3 Gang 2 Way 10 AMP AX Switch**

Complete with mounting box.

Model:3732

Price: £5.7000+VAT (Quantity discounts available)

**Metal Clad 1 Gang 20 AMP D.P. Switch With Flex Outlet**

Complete with mounting box.

Model:3796

Price: £8.2000+VAT (Quantity discounts available)



SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE



**Metal Clad 1 Gang 20 AMP D.P. Switch With Flex Outlet & Neon**  
Complete with mounting box.

Model:3799

Price: £8.7200+VAT (Quantity discounts available)



**Metal Clad 13AMP Unswitched Fused Spur With Flex Outlet**  
Complete with mounting box.

Model:3365

Price: £6.6300+VAT (Quantity discounts available)



**Metal Clad 13AMP Unswitched Fused Spur With Neon & Flex Outlet**

Model:3363

Price: £11.4600+VAT (Quantity discounts available)



**Metal Clad 13AMP D.P. Switched Fused Spur With Flex Outlet**  
Complete with mounting box.

Model:3368

Price: £8.0300+VAT (Quantity discounts available)



**Metal Clad 13AMP D.P. Switched Fused Spur With Neon & Flex Outlet**  
Complete with mounting box.

Model:3369

Price: £9.0800+VAT (Quantity discounts available)



**Round pin 1 gang 5A unswitched Metal Clad Socket**  
This is a round pin socket for outdoors - BG Metal Clad.

Model:3350

Price: £7.38+VAT



Industrial &amp; Metal Clad &gt;

**Metal Clad**

page 9

November 10

SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk 659-661 Holloway Road, Archway London, N19 5SE

**Metal Clad 1 Gang 45 AMP D.P. Red Rocker Switch With Neon**  
Complete with mounting box.

Model:3787

Price: £6.5200+VAT (Quantity discounts available)

**Metal Clad 1 Gang 45 AMP D.P. Red Rocker Switch With Neon**  
**(Double Plate)**  
Complete with mounting box.

Model:3747

Price: £9.9800+VAT (Quantity discounts available)



Industrial & Metal Clad >  
page 10

## MK Metal Clad Switches & Sockets

November 10

SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE



### MK Metal Clad Plus 1 Gang 13 AMP Switched Socket

Surface Metal Clad Plus 1 Gang 13 AMP single switched socket with dual earth terminals. Earth terminal fitted in the box. Supplied with back box.

Dimensions: 86 x 86 x 51.

Model:K2977ALM

Price: £8.6600+VAT (Quantity discounts available)



### MK Metal Clad Plus 2 Gang 13 AMP Switched Socket

Surface MK Metal Clad Plus 2 Gang 13 AMP switched socket. Earth terminal fitted in the box. Supplied with back box.

Dimensions: 86 x 146 x 51.

Model:K2946ALM

Price: £13.6400+VAT (Quantity discounts available)



### MK Metal Clad Plus 1 Gang 10 AMP 2 Way Switch

Surface MK Metal Clad Plus 1 Gang 10 AMP 2 Way single switch. Earth terminal fitted in base of box. Supplied with back box.

Dimensions: 86 x 86 x 47.

Model:K3591ALM

Price: £6.5000+VAT (Quantity discounts available)



### MK Metal Clad Plus 1 Gang 20 AMP D.P. Switch

Surface MK Metal Clad Plus 1 Gang 20 AMP D.P. single switch. Earth terminal fitted in base of box. Supplied with back box.

Dimensions: 86 x 86 x 47.

Model:K5212ALM

Price: £9.8300+VAT (Quantity discounts available)



### MK Metal Clad Plus 2 Gang 10 AMP SP 2 Way Switch

Surface MK Metal Clad Plus 2 Gang 10 AMP SP 2 Way switch. Do NOT have to be derated when used with fluorescent or inductive loads.

Dimensions: 86 x 86 x 47.

Model:K3592ALM

Price: £10.7000+VAT (Quantity discounts available)



### MK Metal Clad Plus 20 AMP D.P. Single Switch With Neon

Surface MK Metal Clad Plus 20 AMP D.P. single switch with neon. Earth terminal fitted in base of box. Supplied with back box.

Dimensions: 86 x 86 x 47.

Model:K5232ALM

Price: £14.5400+VAT (Quantity discounts available)



Industrial & Metal Clad >  
page 11

## MK Metal Clad Switches & Sockets

November 10

SPARKS AND LIGHTS

tel 0207 263 8007 fax 0207 272 3007

www.sparksdirect.co.uk659-661 Holloway Road, Archway London, N19 5SE



### MK Metal Clad Plus 20 AMP D.P. Single Switch With Flex Outlet & Neon

Surface MK Metal Clad 20 AMP D.P. single switch with flex outlet and neon. Earth terminal fitted in base of box. Supplied with back box.

Dimensions: 86 x 86 x 47.

Model:K5242ALM

Price: £16.6800+VAT (Quantity discounts available)



### Metal Clad Plus 32 AMP 1 Gang D.P. Switch With Neon

Surface Metal Clad Plus 32 AMP 1 Gang D.P. switch with neon. Earth terminal fitted in base of box. Supplied with back box.

Dimensions: 86 x 86 x 65.

Model:K5240ALM

Price: £19.20+VAT



### MK Metal Clad Plus 45 AMP D.P. Switch With Neon

Surface MK Metal Clad Plus 45 AMP D.P. switch with neon. Earth terminal fitted in base of box. Supplied with back box.

Dimensions: 147 x 86 x 65.

Model:K5230ALM

Price: £24.48+VAT



### MK Metal Clad 13 AMP D.P. Switched Fused Spur With Flex Outlet

Surface MK Metal Clad 13 AMP D.P. switched fused spur with flex outlet. Supplied with back box.

Dimensions: 86 x 86 x 47.

Model:K932ALM

Price: £10.7300+VAT (Quantity discounts available)



### MK Metal Clad Plus D.P. Switch With Flex Outlet & Neon.

Surface MK Metal Clad Plus D.P. Switch with flex outlet and neon. Supplied with back box.

Dimensions: 86 x 86 x 47.

Model:K972ALM

Price: £12.45+VAT



### MK Metal Clad Plus Unswitched Spur

Surface MK Metal Clad Plus Unswitched Spur. Supplied with back box.

Dimensions: 86 x 86 x 47.

Model:K954ALM

Price: £8.3800+VAT (Quantity discounts available)