















# FLOODLIGHT 100DEG









	EAN	l x w x h [mm]	W	lm	lm/W	K	IP	IK
FLOOD LED 10W/3000K BK 100DEG IP65	4058075097360	125x115x39	10	1050	105	3000	65	07
FLOOD LED 10W/3000K WT 100DEG IP65	4058075097384	125x115x39	10	1050	105	3000	65	07
FLOOD LED 10W/4000K BK 100DEG IP65	4058075097407	125x115x39	10	1100	110	4000	65	07
FLOOD LED 10W/4000K WT 100DEG IP65	4058075097421	125x115x39	10	1100	110	4000	65	07
FLOOD LED 20W/3000K BK 100DEG IP65	4058075097445	130x140x41	20	2100	105	3000	65	07
FLOOD LED 20W/3000K WT 100DEG IP65	4058075097469	130x140x41	20	2100	105	3000	65	07
FLOOD LED 20W/4000K BK 100DEG IP65	4058075097483	130x140x41	20	2200	110	4000	65	07
FLOOD LED 20W/4000K WT 100DEG IP65	4058075097506	130x140x41	20	2200	110	4000	65	07
FLOOD LED 20W/6500K BK 100DEG IP65	4058075097520	130x140x41	20	2200	110	6500	65	07
FLOOD LED 20W/6500K WT 100DEG IP65	4058075097544	130x140x41	20	2200	110	6500	65	07
FLOOD LED 50W/3000K BK 100DEG IP65	4058075097568	155x180x46	50	5250	105	3000	65	07
FLOOD LED 50W/3000K WT 100DEG IP65	4058075097582	155x180x46	50	5250	105	3000	65	07
FLOOD LED 50W/4000K BK 100DEG IP65	4058075097605	155x180x46	50	5500	110	4000	65	07
FLOOD LED 50W/4000K WT 100DEG IP65	4058075097629	155x180x46	50	5500	110	4000	65	07
FLOOD LED 50W/6500K BK 100DEG IP65	4058075097643	155x180x46	50	5500	110	6500	65	07
FLOOD LED 50W/6500K WT 100DEG IP65	4058075097667	155x180x46	50	5500	110	6500	65	07
FLOOD LED 90W/4000K BK 100DEG IP65	4058075097681	250x240x70	90	10000	110	4000	65	08
FLOOD LED 90W/6500K BK 100DEG IP65	4058075097698	250x240x70	90	10000	110	6500	65	08
FLOOD LED 135W/4000K BK 100DEG IP65	4058075097704	300x270x76	135	15000	110	4000	65	08
FLOOD LED 135W/6500K BK 100DEG IP65	4058075097711	300x270x76	135	15000	110	6500	65	08
FLOOD LED 180W/4000K BK 100DEG IP65	4058075097728	340x310x81	180	20000	110	4000	65	08
FLOOD LED 180W/6500K BK 100DEG IP65	4058075097735	340x310x81	180	20000	110	6500	65	08

	EAN	Temp (°C)	V <sub>AC</sub>	Hz	PF	∠	R <sub>a</sub>	⚖️
FLOOD LED 10W/3000K BK 100DEG IP65	4058075097360	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	0.4 kg
FLOOD LED 10W/3000K WT 100DEG IP65	4058075097384	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	0.4 kg
FLOOD LED 10W/4000K BK 100DEG IP65	4058075097407	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	0.4 kg
FLOOD LED 10W/4000K WT 100DEG IP65	4058075097421	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	0.4 kg
FLOOD LED 20W/3000K BK 100DEG IP65	4058075097445	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	0.6 kg
FLOOD LED 20W/3000K WT 100DEG IP65	4058075097469	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	0.6 kg
FLOOD LED 20W/4000K BK 100DEG IP65	4058075097483	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	0.6 kg
FLOOD LED 20W/4000K WT 100DEG IP65	4058075097506	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	0.6 kg
FLOOD LED 20W/6500K BK 100DEG IP65	4058075097520	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	0.6 kg
FLOOD LED 20W/6500K WT 100DEG IP65	4058075097544	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	0.6 kg
FLOOD LED 50W/3000K BK 100DEG IP65	4058075097568	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	0.9 kg
FLOOD LED 50W/3000K WT 100DEG IP65	4058075097582	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	0.9 kg
FLOOD LED 50W/4000K BK 100DEG IP65	4058075097605	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	0.9 kg
FLOOD LED 50W/4000K WT 100DEG IP65	4058075097629	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	0.9 kg
FLOOD LED 50W/6500K BK 100DEG IP65	4058075097643	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	0.9 kg
FLOOD LED 50W/6500K WT 100DEG IP65	4058075097667	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	0.9 kg
FLOOD LED 90W/4000K BK 100DEG IP65	4058075097681	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	2.6 kg
FLOOD LED 90W/6500K BK 100DEG IP65	4058075097698	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	2.6 kg
FLOOD LED 135W/4000K BK 100DEG IP65	4058075097704	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	3.9 kg
FLOOD LED 135W/6500K BK 100DEG IP65	4058075097711	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	3.9 kg
FLOOD LED 180W/4000K BK 100DEG IP65	4058075097728	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	4.9 kg
FLOOD LED 180W/6500K BK 100DEG IP65	4058075097735	-20...+50	220-240V	50/60Hz	> 0.9	100°	≥ 80	4.9 kg







C10449057  
G11035182  
10.01.18



LEDVANCE GmbH  
Steinerne Furt 62  
86167 Augsburg, Germany  
[www.ledvance.com](http://www.ledvance.com)