



Technical Data

Nexus Grid Front Plates - Screwless Flatplates

Brief product description:

Front Plates for use with Screwless Flatplates

Features:

- Manufactured to BS 5733
- Note - 1, 3, 6g front-plate supplied with grid blanks (Screwless Only)
- Front-plates match the standard Flatplate screwless range
- Flat profile with rounded edges
- Secure and easy "clip on, clip off" front plate design
- No visible plastic around rockers
- 6/8g grid surface/flush mounting box (MC503)


Product Images



GFCP1




GFPB2



GFBS3



GFPB4



GFBS6



GFBN8

Nexus Grid Front Plates - Screwless Flatplates

Packaging Information

Chrome	Brushed Steel	Black Nickel	Polished Brass	Description	Packaging Type			Pack Quantity		
					Product	Inner Box	Outer Box	Each	Inner Box	Outer Box
GFPC1	GFBS1	GFBN1	GFPB1	1 Gang	Box	Colour Box	Carton	1	20	200
GFPC2	GFBS2	GFBN2	GFPB2	2 Gang	Box	Colour Box	Carton	1	20	200
GFPC3	GFBS3	GFBN3	GFPB3	3 Gang	Box	Colour Box	Carton	1	10	100
GFPC4	GFBS4	GFBN4	GFPB4	4 Gang	Box	Colour Box	Carton	1	10	100
GFPC6	GFBS6	GFBN6	GFPB6	6 Gang	Box	Colour Box	Carton	1	10	100
GFPC8	GFBS8	GFBN8	GFPB8	8 Gang	Box	Colour Box	Carton	1	10	100

Barcodes

Cat No.	Individual	Inner Box	Outer Box	Cat No.	Individual	Inner Box	Outer Box
Chrome				Brushed Steel			
GFPC1	5050765014557	5050765015929	5050765017299	GFBS1	5050765014618	5050765015981	5050765017350
GFPC2	5050765014564	5050765015936	5050765017305	GFBS2	5050765014625	5050765015998	5050765017367
GFPC3	5050765014571	5050765015943	5050765017312	GFBS3	5050765014632	5050765016001	5050765017374
GFPC4	5050765014588	5050765015950	5050765017329	GFBS4	5050765014649	5050765016018	5050765017381
GFPC6	5050765014595	5050765015967	5050765017336	GFBS6	5050765014656	5050765016025	5050765017398
GFPC8	5050765014601	5050765015974	5050765017343	GFBS8	5050765014663	5050765016032	5050765017404

Barcodes

Cat No.	Individual	Inner Box	Outer Box	Cat No.	Individual	Inner Box	Outer Box
Black Nickel				Polished Brass			
GFBN1	5050765031769	5050765032667	5050765033565	GFPB1	5050765031820	5050765032728	5050765033626
GFBN2	5050765031776	5050765032674	5050765033572	GFPB2	5050765031837	5050765032735	5050765033633
GFBN3	5050765031783	5050765032681	5050765033589	GFPB3	5050765031844	5050765032742	5050765033640
GFBN4	5050765031790	5050765032698	5050765033596	GFPB4	5050765031851	5050765032759	5050765033657
GFBN6	5050765031806	5050765032704	5050765033602	GFPB6	5050765031868	5050765032766	5050765033664
GFBN8	5050765031813	5050765032711	5050765033619	GFPB8	5050765031875	5050765032773	5050765033671

Weights & Dimensions

Cat No.	Description	Dimensions (L x W x D) cm				Weight (kg)				CMB (m ³)
		Unpacked Product	Packed product	Inner Box	Outer Box	Each	Packed product	Inner Box	Outer Box	Outer Box
Gxxx1	1 Gang	8.7x8.7x0.8	8.7x8.7x0.8	9.5x20.5x9.5	22.5x50x20.5	0.067	0.103	1.586	15.86	0.0231
Gxxx2	2 Gang	8.7x8.7x0.8	8.7x8.7x0.8	9.5x20.5x9.5	22.5x50x20.5	0.057	0.085	1.45	14.5	0.0231
Gxxx3	3 Gang	8.7x14.8x0.8	8.7x14.8x0.8	9.5x15.7x11	17.7x50x23.5	0.103	0.12	1.273	12.73	0.0208
Gxxx4	4 Gang	8.7x14.8x0.6	8.7x14.8x0.6	9.5x15.7x11	17.7x50x23.5	0.09	0.124	1.203	12.036	0.0208
Gxxx6	6 Gang	14.8x14.8x0.8	14.8x14.8x0.8	10.8x15.7x15.5	17x56.2x32.2	0.21	0.21	2.085	20.85	0.0308
Gxxx8	8 Gang	14.8x14.8x0.6	14.8x14.8x0.6	10.8x15.7x15.5	17x56.2x32.2	0.193	0.21	1.93	19.3	0.0308

Nexus Grid Front Plates - Screwless Flatplates

Installation information

Step 1

Fit and secure appropriate mounting box and frame. Please see Note 1 for additional assembly instructions required that are relevant to the plate type being installed-

- Pull cabling through frame and strip insulation accordingly.
- Ensure an earth connection between frame and box (if required)
- Systematically terminate cables into each module.



Step 2

To fit module to frame -

- Locate groove in lower edge of module over lower edge of aperture in frame and pivot upwards locating the pegs on the module into holes in frame and clip into place.
- It is recommended to decorate wall before fixing front-plate.
- Attach front-plate using fixing screws provided or push for secure clip-on. For Screwless front-plates please see Note 2 for additional assembly instructions.



Note 1

For **White Moulded**, **Nexus Metal** and **Brass Georgian** - remove the two plastic spacers and discard. For **Metal Clad** and **Grid** - bend the four lugs down where indicated by the V notches and ensure plastic spacers are fitted.

The position of the frame in relationship to the wall can be adjusted by the two captive fixing screws.

For Decorative **Flatplate** - Before fixing the frame to the wall ensure that the gasket supplied is correctly positioned between the frame and the wall.



Note 2

Decorative **Flatplate** - When fitting ONE or THREE modules to the screwless Flatplate grid frame, the blanking strips supplied must be fitted either side of the module(s) to prevent access to the wiring.

Frontplate - should be fitted with the removable notch located over the angled face of the gasket in the lower right hand corner

