

LAMP REPLACEMENT:

This luminaire has a sealed LED lamp and is maintenance free, no lamp replacement is required

EVENTUALLY, YOU MAY WANT TO REPLACE THIS LIGHT FITTING:

When your light fitting comes to the end of its life or you choose to update or upgrade it by replacing it, please do not dispose of it with your normal household waste and please recycle where facilities exist. When you need to dispose this fitting; check with your retailer or local authority for suitable options. New regulations require the recycling of Waste from Electrical and Electronic Equipment (European "WEEE Directive" effective August 2005—UK WEEE Regulations effective 2nd January 2007). Environment Agency Registered Producer: WEE/GA0248QZ.



IF YOU EXPERIENCE PROBLEMS:

If your light is defective or develops a fault, please return it to the place where you bought it. You can call our helpline for advice. The helpline will gladly give advice on any aspect of any Eterna lighting product but may not be able to give specific instructions regarding individual installations.

If in doubt, consult a qualified electrician.



SAFETY AND INSTALLATION INSTRUCTIONS



Pack contents:

1 x fitting complete with
3 core 1.0mm² x 0.5m
silicone cable

Model: LEDFL1062 & LEDFL3062 10W & 30W LED Floodlights

These instructions are provided as a guideline to assist you.

**PLEASE READ THESE INSTRUCTIONS BEFORE USING YOUR NEW FITTING
PLEASE RETAIN FOR FUTURE REFERENCE**

110713-SM



HELPLINE:

- T: 01933 673 144
- F: 01933 678 083
- E: sales@eterna-lighting.co.uk

Visit our website:

www.eterna-lighting.co.uk

General Information & Cleaning:

READ THIS FIRST:

Check the pack and make sure you have all of the parts listed on the front of this booklet. If not, contact the outlet where you bought this product.

This product contains glass, care must be taken when assembling, fitting or handling to prevent personal injury or damage to the product.

This light fitting must be installed by a competent person in accordance with the current building and IEE wiring regulations.

As the buyer, installer and/or user of this product it is your own responsibility to ensure that this fitting is fit for the purpose for which you have intended it. Eterna Lighting cannot accept any liability for loss, damage or premature failure resulting from inappropriate use.

If in any doubt, consult a qualified electrician.

This product is designed and constructed according to the principles of the appropriate British Standard and is intended for normal domestic service. Using this fitting in any other environments, for example where there is prolonged periods of use or higher than normal ambient temperatures, may result in a shortened working life.

Switch off the mains before commencing installation and remove the appropriate circuit fuse or lock off MCB.

This unit is suitable for outdoor use.

This product is suitable for installation on surfaces with normal flammability e.g. wood, plasterboard and masonry. It is not suitable for use on highly flammable surfaces (e.g. polystyrene, textiles).

Before making fixing hole(s), check that there are no obstructions hidden beneath the mounting surface such as pipes or cables.

Make sure that the fixings are strong enough to support the considerable weight of the fitting and hold it rigidly.

The lamp must be positioned so that there is at least 0.5m (500mm) between the bulb and any illuminated surface. Floodlights should be positioned well away from flammable materials.

Do not attach to surfaces which are damp, freshly painted or otherwise electrically conductive (e.g. metallic surfaces).

This product is designed for permanent connection to fixed wiring: this must be a suitable circuit (protected with the appropriate MCB or fuse).

When making connections ensure that the terminals are tightened securely and that no strands of wire protrude. Check that the terminals are tightened onto the bared conductors and not onto any insulation.

This product must be connected to an earth termination.

This product is not intended to be used by children and persons with sensory, physical and/or mental impairments that would prevent them from using it safely.

IMPORTANT - if the external flexible cable of this luminaire is damaged it shall be exclusively replaced by a qualified engineer.

You are advised at every stage of your installation to double-check any electrical connections you have made. After you have completed your installation there are electrical tests that should be carried out, these tests are specified in the current IEE wiring and building regulations. If in doubt, consult a qualified electrician.

Do not carry or lift the floodlight by the mains supply cable.

CLEANING:


Clean this light fitting only with a soft dry cloth.

Do not use any chemical or abrasive cleaners.


Installation:

INSTALLATION:

1. Choose the location for your new light fitting giving considerations to the points listed opposite.
2. Isolate mains.
3. Mark fixing points by using the stirrup fixing holes and drill two fixing holes, according to your chosen fixing method. (Fixings not included). See Fig. 1 for 10W and Fig. 2 for 30W.
4. Terminate loose ends of wire to an appropriate IP rated junction box or similar, ensuring the Live, Earth and Neutral polarities are observed.
5. Restore power and test the luminaire.
6. Adjust floodlight head towards the area to be illuminated and lock off using two clamping bolts.



Rear View 10W - LEDFL1062



Rear View 30W - LEDFL3062