


### WILSON Surface



#### Finish

Urban grey  
Matt

#### Material

High purity aluminium  
Glass





IP65 IK08



4

#### TECHNICAL CHARACTERISTICS



##### Light source

Light source: LED LEXTAR  
Output (W): 9 W  
Total power consumption (W): 10.2 W  
Color temperature: Warm White - 3000K  
CRI: 80  
Real Lumen: 225  
Nominal Lumen: 855  
Qty Leds: 24  
Lm/Real W: 25  
Life Time: 36.000h L70B30  
Bin / Grup: L3003 o R003  
MacAdam steps: 3 STEPS  
UGR: 7.0  
Photobiological risk: RGO

##### GEAR


Brand: EAGLERISE  
Gear included: Yes, electronic  
Voltage / Frequency:  
100-240V/50-60Hz  
Power Factor: 0.90  
Flickering: 26.7%

##### Luminaire

Double cable exit: No  
Drainage: No  
Seaside: Yes  
Uv Protection: Yes  
Warranty: 2 Years



##### Logistics

Energy Efficiency: LED A++  
EAN Code: 8435381443504  
Net Weight (Kg): 0.980  
Weight in Kg (packaged): 1.165  
Packing: 125 x 110 x 165  
Masterbox: 4



CRISTAL ARENADO INTERIOR  
SANDFROSTED GLASS INSIDE

ALUMINIO DE ALTA PUREZA  
HIGH QUALITY ALUMINIUM



PLANTILLA DE INSTALACIÓN  
INSTALLATION TEMPLATE

