



205A St John's Hill, London, SW11 1TH
 +44 (0)20 7738 0202 | sales@forbesandlomax.com | www.forbesandlomax.com

The Dimmer Switch

All our dimmer switches are designed specifically to fit our plates. They are available as 2way and can dim Halogen, LED or 0-10v lights depending on the module you choose. Dimmers can act as dummy dimmers: they can be regular on/off, 2way or intermediate. Dimmers can also be used as fan speed controllers.

Dimmers can be combined with Dolly switches. Dimmers cannot be combined with rocker switches.

Technical Information

- Conforms with BSEN 60669-2-1:2004 + A12:2010.
- BS EN 55015.
- Low Voltage Directive (LVD) 2004/95/EC.
- Terminal marking present on socket housing for clearer identification.
- All Forbes & Lomax switches and sockets require British standard 35mm deep flush wall boxes but recommend 47mm for ease of installation.

Available in the following ranges:

The Invisible Lightswitch®

Aged Brass

Antique Bronze

Brushed Brass


Nickel Silver

Painted

Stainless Steel

Unlacquered Brass

Verdigris



Invisible



Aged Brass




Antique Bronze



Brushed Brass



Nickel Silver



Painted



Stainless Steel



Unlacquered Brass




Verdigris



205A St John's Hill, London, SW11 1TH
 +44 (0)20 7738 0202 | sales@forbesandlomax.com | www.forbesandlomax.com

Technical Specifications



| Technical Specification | | | | | | |
|-------------------------|--|----------------------------|--------------------------|---|--|--------------------------|
| | VDim | VCom | VPro | 0-10 or 1-10v | Push on/off Intermediate | Fan |
| Electricity supply | 230v50Hz AC | 230v50Hz AC | 230V50Hz AC | 200-250v AC | 230v AC | 216-253V 50Hz |
| Min and max wattage | 40w-250w SMG250 60w-400w SMG400 | 15w-180w (max. 20 LEDs) | 1-10 LEDs 0-30 LEDs | 6A Max, 1-multiple ballasts up to 20mA | 6A Max ZOPUSH- 1000W IP- 720W | 40w-250w |
| Circuit | Wired one way or two way | Wired one way or two way | Wired one way or two way | Wired one way or two way | ZOPUSH- Wired one way or two way IP- Two way | Wired one way or two way |


For further information, please refer to dimmer instructions




205A St John's Hill, London, SW11 1TH
 +44 (0)20 7738 0202 | sales@forbesandlomax.com | www.forbesandlomax.com

Plate Dimensions

Horizontal Configurations



Vertical Configurations



Larger plates are available upon request. Please contact our sales team for further information.