# Outdoor Ciclo Wall Light 11W 3000K 480Im IP54



Discover Integral's new outdoor range. Light up the exterior of your home with these compact, stylish and contemporary LED luminaires. Weatherproof and hard-wearing, this range is designed to last against the elements while bringing a designer look to your surroundings.

Upgrade your space with the Ciclo. This individual and contemporary circular design will make any outdoor space stand out.

#### **Product Details**

Partcode: ILDEA013 Check Code: 326953 Range Name: Outdoor Product Type: Outdoor Warranty: 3 Years CE / RoHS: Yes

## **Physical Data**

Optic: Opal Polycarbonate diffuser Material: Die cast aluminium body with powder coated finish

Partcode: ILDEA013 / Page: 2

### **Physical Data**

Width: 54mm Depth: 177mm Diameter: 140mm Weight (Unpackaged Single Unit): 682g Luminaire Fixing: Wall Mounted

#### **Electrical Data**

Voltage Range: 220-240V Power Consumption: 11.0 Watts Driver included: Yes Electric Current: AC Ampage: 700.00mA Frequency Range: 50/60 Hz Power Factor: >=0.80 Dimming: Non-dimmable LVD Certified: Yes EN: EN-60598

## **Light Data**


Lumens: 480lm Lumens per Watt: 44.0lm/W Correlated Colour Temperature (CCT): 3,000k Colour Temperature: Warm White Colour Rendering Index (CRI): >=80 LED Type: Surface mounted device (SMD) Instant on - Less than 1 second: Yes Lifetime: 25,000 hrs Switching Cycles: >12,500 X

## www.integral-led.com



Partcode: ILDEA013 / Page: 3

#### **Environmental**



Lowest Operating Temperature: -20 degrees Maximum Operating Temperature: 40 degrees IP (Ingress Protection) Rating: IP54 Hg 0% (Mercury Free): Yes

# Packaging



EAN Barcode (unit of 1): 5055788232643 Packaged Weight (Unit of 1): 762g Length (unit of 1): 150mm Width (unit of 1): 65mm Depth (unit of 1): 185mm **Outer packaging info available on website** 

Product data last updated on: Thursday, November 2, 2017 - 16:55

### www.integral-led.com