# G9 3W 2700K 300Im Dimmable 300 deg Beam Angle

Partcode: ILG9DC009 / Page: 1



This Integral LED G9 lamp offers a high lumen output in 2700K. At 3W this smooth dimming capsule lamp is highly efficient compared to the halogen lamps they are designed to replace. Ideal for pendant fittings and accent lighting in domestic, hospitality and retail applications.

## **Product Details**

Partcode: ILG9DC009 Check Code: 284592 Placement / Application: Indoor, General Lighting Market Segment: Commercial indoor, Residential indoor Product Type: G9

Warranty: 2 Years

CE / RoHS: Yes

## **Physical Data**

Lamp Base: G9 Base Type: G9 Globe Finish: Clear Construction: Ceramic + PC

## www.integral-led.com

Partcode: ILG9DC009 / Page: 2

#### **Physical Data**

Length: 49mm Width: 16mm Diameter: 16mm Weight (Unpackaged Single Unit): 11g Lamp or Luminaire Shape: Cylindrical Lamp Fixing: Pendant, Wall

#### **Electrical Data**

Voltage Range: 220-240V Power Consumption: 3.0 Watts Driver included: Yes Driver IC Manufacturer: Bright Power Semiconductor Electric Current: AC Ampage: 14.00mA Frequency Range: 50 Hz Power Factor: >=0.40 Wattage Equivalent: 28 Watts Dimming: Dimmable with compatible dimmers LVD Certified: Yes EN: EN-62560

## **Light Data**

Lumens: 300lm Lumens per Watt: 100.0lm/W Beam Angle: 300° Correlated Colour Temperature (CCT): 2,700k Colour Temperature: Warm Colour Rendering Index (CRI): >=80 LED Type: SMD Instant on - Less than 1 second: Yes Lifetime: 15,000 hrs Switching Cycles: >7,500 X

## www.integral-led.com



Partcode: ILG9DC009 / Page: 3



Energy Rating: A++ Lowest Operating Temperature: -20 degrees Maximum Operating Temperature: 45 degrees IP (Ingress Protection) Rating: IP20 Hg 0% (Mercury Free): Yes

## Packaging



EAN Barcode (unit of 1): 5055788232056 Packaged Weight (Unit of 1): 15g Length (unit of 1): 20mm Width (unit of 1): 20mm Depth (unit of 1): 54mm **Outer packaging info available on website** 

Product data last updated on: Friday, June 15, 2018 - 12:24

## www.integral-led.com