

Classic Globe (GLS) 9.5W (60W) 2700K 806lm E27 Non-Dimmable-Lamp*Quick Order Code: 15-66-74 / Page: 1*

This premium 9.5W retro-fit Integral LED Classic Globe (GLS) (large screw base) delivers a warm white light and brightness, similar to a 60W filament bulb. It features high output, multi Everlight LEDs, an anti-glare refractor, all finished in an aluminium and plastic, thermally efficient body. Ideal for living rooms, hallways and kitchens.

Product Details

Partcode: ILA60E27O9.5N27KBIWA

Quick Order Code: 15-66-74

Range Name: Mensae

Placement / Application: Indoor, General Lighting

Product Type: Classic Globe (GLS)

Warranty: 3 Years

CE / RoHS: Yes

Physical Data

Lamp Base: E27

Base Type: Edison screw

Base Colour: White

Globe Type: Classic Globe (GLS)

Globe Finish: Frosted

Material: Plastic, Polycarbonate, Nickel plated brass

Construction: Plastic heat-sink, Injection moulded diffuser

Length: 120mm

Width: 60mm

Weight (Unpackaged Single Unit): 92g

Lamp or Luminaire Shape: Round

Lamp Fixing: Pendant, Wall

Electrical Data

Voltage Range: 220-240V

Power Consumption: 9.5 Watts

Driver included: Yes

Driver IC Manufacturer: O2

Electric Current: AC

Ampage: 51.00mA

Frequency Range: 50 Hz

Power Factor: ≥ 0.90

Wattage Equivalent: 60 Watts

Dimming: Non-dimmable

LVD Certified: Yes

EN: EN-62560

Light Data

Lumens: 806lm

Lumens per Watt: 84.8lm/W

Beam Angle: 240°

Correlated Colour Temperature (CCT): 2,700k

Colour Temperature: Warm White

Colour Rendering Index (CRI): ≥ 80

LED Manufacturer: Everlight

LED Type: Surface mounted device (SMD)

Instant on - Less than 1 second: Yes

Lifetime: 25,000 hrs

Switching Cycles: $>12,500$ X

Environmental

Energy Rating: A+

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: 20

Hg 0% (Mercury Free): Yes

Quick Order Code: 15-66-74 / Page: 3

Packaging



EAN Barcode (unit of 1): 5055788202066

Packaged Weight (Unit of 1): 140g

Length (unit of 1): 135mm

Width (unit of 1): 71mm

Depth (unit of 1): 71mm

Outer packaging info available on website

Product data last updated on: Monday, November 18, 2013 - 16:18